



Blaser **K95**



K95



FROM EXPERIENCE

Our ideas for new rifle technology are not created on the drawing board; they are born while we are out hunting, facing the challenges that need to be solved. Our engineers are also skilled hunters. When they turn our ideas into innovative design, they are doing much more than inventing something new; they are putting the potential for better hunting in your hands.



The Blaser Mission



DRIVEN BY PASSION

Hunting may be one of the oldest aspirations of mankind, but we always have to prepare for new challenges. It is important that we continually refine our equipment and pioneer new technology. This is our passion.

SHAPED BY INTELLIGENCE

Leading the way through innovation, we are the driving force in the international hunting rifle industry. Fifty years of expertise have sharpened our senses for intelligent advances. However, we never lose sight of our ethical commitment.

POWERED BY PERFORMANCE

Everybody who works at Blaser shares the same enthusiasm for hunting. But we all have different talents. It is the diversity of personalities and seamless blend of skills that empower the company's continued success.





FOR THE LOVE OF DETAIL


“At every step of design and manufacturing, we strive for excellence. However, it is by adding character to our hunting rifles that we achieve true perfection. Innovation paired with detailed creativity – that is our formula for timeless gun making.”



Bernhard Knöbel
Blaser CEO



Values and Culture



MILLED FROM A SOLID PIECE

Manufacturing rifle parts from a whole solid piece guarantees quality, reliability and durability. Intricate production processes on high-end CNC machines ensure minimal tolerances and consistent shooting precision.

QUALITY COMPONENTS

Whether it is high-grade steel, light metal alloy or precious walnut, in the hands of a Blaser gunsmith they turn into a piece of beauty and lasting value. This commitment to excellence makes every Blaser rifle a legacy for generations to come.

SENSE OF TRADITION

With a deep appreciation for traditional craftsmanship, we shape today's hunting culture. Highly qualified gunsmiths, gun stockers and engravers turn every rifle into a masterpiece that expresses the personality and passion of the hunter who owns it.







Your target:

One Shot

Your game turns into position.
You just have a few seconds.
Keep calm!
It will be a one shot kill.



Accurate





1 BLASER PRECISION TRIGGER

From thought impulse to accurate shot without any delay: The excellent, crisp characteristics of the K95 trigger are among the essentials of precise shooting.

2 BLASER TILTING BLOCK LOCKING SYSTEM

Reliable performance designed for maximum gas pressure. The tilting block locking system is a vital factor for the legendary accuracy of the K95.

3 FORGED BARREL & CHAMBER

Precision and durability: Not only barrels but also chambers are cold hammer forged in most calibers. Barrel and chamber are perfectly concentric.

4 BLASER SADDLE MOUNT

Barrel and rifle scope form one accurate unit: The notches that hold the mounting base are positioned directly above the chamber. The barrel floats freely while the point of impact remains constant.

Safe





1 THE ULTIMATE SAFETY SYSTEM

For the past decades Blaser's manual cocking system has set the benchmark. It is acknowledged as the safest worldwide. There is no mechanical safety system that guarantees the safety of an uncocked firing spring. The K95 is cocked the very moment before shooting. Should the shot not be taken, by simply pressing down on the cocking lever, the lever will slide back smoothly. Once again the firing pin spring is uncocked

2 AUTOMATIC DECOCKING

When opening the gun the lock is automatically decocked. Thus the risk of triggering a shot unintentionally is minimized.

3 PROTECTION AGAINST MISUSE

The tilting block with integrated firing pin can be taken out of the K95 receiver quickly and easily. If you store the tilting block in a separate location the rifle is safely protected against unauthorized use.





Huntable

1 PERFECT BALANCE

The well-balanced weight distribution allows for fast handling and quick target acquisition.

2 EASY TAKE-DOWN

More comfort when stalking over long distances: The K95 is stripped down, packed away and reassembled in a matter of seconds without the slightest change in the point of impact.

3 LIGHT-WEIGHT AND SHORT DESIGN

It's astonishing that such a delicate looking rifle packs so much power. The K95 is the lightest and sleekest Blaser rifle. It is the rifle of choice for physically demanding hunts, ready to shoot in a split second and uncompromising when it comes to accuracy.

4 SAFE TRANSPORT

When traveling, the K95 can be transported stripped down, well protected and with absolute discretion. Passers-by will hardly notice that the compact case is in fact a rifle case.

Reliable





1 EASY TO TAKE DOWN AND CLEAN

Where ever you are, the K95 can be stripped down and reassembled within a few seconds. Snow, dirt, leaves or needles are easily removed.

2 EXCELLENT PROTECTION

All metal parts of the K95 are either made of rustproof material or protected against corrosion with a specific finish. The insides of the barrel and chamber are polished and need conventional care.






Ruth, Schwangan, Sommer '08



Mathias, Grönten, Sommer '11



Tom, Adelsberg, Herbst '07



John



Versatile

1 EXCHANGEABLE BARRELS IN MANY CALIBERS

By combining low weight, compact design and maximum precision the K95 is an excellent choice for hunting in the mountains or in vast and rough terrain all over the world.

The K95 barrels are available in a great variety of calibers and types which makes it easy to adjust the rifle to all kinds of different requirements. Each barrel only has to be zeroed once. After that it will fit and hit the target immediately every time you insert it.

2 CHANGING RIFLE SCOPES EASILY

Every barrel is prepared for the Original Blaser Saddle Mount. Each rifle scope and illuminated dot sight that is zeroed to the barrel can be interchanged.



K95 MODELS



K95, K95 Luxus, K95 Stutzen Luxus	Page 22/23
K95 Black Edition, K95 Stutzen Black Edition	Page 24/25
K95 Attaché, K95 Stutzen Attaché	Page 26/27
K95 Baronesse, K95 Stutzen Baronesse	Page 28/29
K95 Stradivari	Page 30/31
K95 Edition, K95 Stutzen Edition	Page 32/33
K95 model overview	Page 34/35
K95 model versions	Page 36/37
Wood grades	Page 38/39
K95 Custom	Page 40-43



K95 · K95 LUXUS

K95

K95 Luxus

K95 Stutzen Luxus



K95

- ▶ Receiver with grained side plates
- ▶ Black trigger
- ▶ Round barrel contour
- ▶ Barrel lengths 52 (20.5"), 60 (23.5"), 65 (25.5") and 70 cm (27.5")
- ▶ Rubber recoil pad optional (surcharge)
- ▶ Wood grade 1

K95 Luxus and K95 Stutzen Luxus

- ▶ Engraved receiver and side plates
- ▶ Black trigger
- ▶ Octagonal barrel
- ▶ K95 Stutzen Luxus: Divided forearm for constant precision, even in extreme weather conditions. Black forearm tip
- ▶ Barrel length 50 cm (19.7")
- ▶ Total length 94 cm (37")
- ▶ Sleek stock profil
- ▶ Rubber recoil pad optional (surcharge)
- ▶ Wood grade 4



K95 BLACK EDITION

K95 Black Edition

K95 Stutzen Black Edition



K95 Stutzen Black Edition

K95 Black Edition

- ▶ Receiver with elegant black finish
- ▶ Gold-colored trigger and block
- ▶ Round barrel contour
- ▶ Barrel 60 cm (23.5"), optional without surcharge 52 cm (20.5")
- ▶ Rubber recoil pad as standard
- ▶ Black forearm tip
- ▶ Selected stock wood, wood grade 6
- ▶ Blaser ABS rifle case type A and leather rifle sling included (fig. see page 26)

K95 Stutzen Black Edition

as K95 Black Edition, but in addition

- ▶ Octagonal barrel
- ▶ Divided forearm for constant precision, even in extreme weather conditions
- ▶ Black forearm tip
- ▶ Barrel length 50 cm (19.7")
- ▶ Total length 94 cm (37")



K95 Black Edition | Optional extras: rifle scope and scope mount



K95 ATTACHÉ

K95 Attaché

K95 Stutzen Attaché



K95 Stutzen Attaché

K95 Attaché and K95 Stutzen Attaché

- ▶ Black anodized receiver with wooden side plates
- ▶ Gold-colored trigger and block
- ▶ Octagonal barrel
- ▶ Rubber recoil pad as standard
- ▶ Black forearm tip
- ▶ Selected stock wood, wood grade 7
- ▶ Blaser ABS rifle case type A and leather rifle sling include





K95 BARONESSE

K95 Baronesse


K95 Stutzen Baronesse



K95 Baronesse

K95 Baronesse and K95 Stutzen Baronesse

- ▶ Receiver with long side plates, choose between game scene engraving or fine ornaments
- ▶ Gold-colored trigger and block
- ▶ Octagonal barrel
- ▶ Rubber recoil pad as standard
- ▶ Black forearm tip
- ▶ Selected stock wood, wood grade 7
- ▶ Blaser ABS rifle case type A and leather rifle sling include





K95 Stutzen Baronesse | Optional extras: rifle scope and scope mount



K95 Stradivari



Fluted octagonal barrel

K95 Stradivari

- ▶ Receiver, trigger guard and locking lever enhanced with ruthenium
- ▶ Platinum inlays with Stradivari logo on long side plates
- ▶ DLC trigger and block (Diamond Like Carbon – black high gloss finish)
- ▶ Fluted octagonal barrel (barrel length 600 and 650 mm)
- ▶ Black forearm tip
- ▶ Stock wood grade 10 with Super-Finish
- ▶ Including Blaser Rifle Sling Leather brown





K95 Stradivari | Optional extras: rifle scope and scope mount



K95 Edition

K95 Edition

K95 Stutzen Edition



K95 Edition

Affordable Dream Rifle



"Since I had the chance to test the K95 Stutzen I dream to own it one day. Where else do you find this perfectly sleek shape combined with such legendary accuracy? It's great that my dream rifle is now available as Edition model. The good price makes it affordable also for younger hunters."

Marc Huber,
responsible for test firing
and final assembly

K95 Edition and K95 Stutzen Edition

- ▶ Receiver with elegant black finish
- ▶ Round barrel contour
- ▶ Rubber recoil pad optional (surcharge)
- ▶ K95 Stutzen Edition: divided forearm for constant precision, even in extreme weather conditions, including black forearm tip



K95 Stutzen Edition | Optional extras: rifle scope and scope mount




K95 Model Overview

		Stock shape	Forearm tip	Wood grade	Cheek piece
K95		drop-shaped forearm hog-back buttstock	stock wood	1 (standard) 2 to 11 (optional, surcharge)	Bavarian
K95 Edition		drop-shaped forearm hog-back buttstock	stock wood	3 (standard) 4 to 11 (optional, surcharge)	Bavarian
K95 Stutzen Edition		Stutzen forearm hog-back buttstock	black (synthetic)	3 (standard) 4 to 11 (optional, surcharge)	Bavarian
K95 Luxus		drop-shaped forearm hog-back buttstock	stock wood	4 (standard) 5 to 11 (optional, surcharge)	Bavarian
K95 Stutzen Luxus		Stutzen forearm hog-back buttstock	black (synthetic)	4 (standard) 5 to 11 (optional, surcharge)	Bavarian
K95 Black Edition		drop-shaped forearm hog-back buttstock	ebony	6 (standard) 7 to 11 (optional, surcharge)	Bavarian
K95 Stutzen Black Edition		Stutzen forearm hog-back buttstock	black (synthetic)	6 (standard) 7 to 11 (optional, surcharge)	Bavarian
K95 Attaché		drop-shaped forearm hog-back buttstock	ebony	7 (standard) 8 to 11 (optional, surcharge)	Bavarian
K95 Stutzen Attaché		Stutzen forearm hog-back buttstock	black (synthetic)	7 (standard) 8 to 11 (optional, surcharge)	Bavarian
K95 Baronesse		drop-shaped forearm hog-back buttstock	ebony	7 (standard) 8 to 11 (optional, surcharge)	Bavarian
K95 Stutzen Baronesse		Stutzen forearm hog-back buttstock	black (synthetic)	7 (standard) 8 to 11 (optional, surcharge)	Bavarian
K95 Stradivari		drop-shaped forearm hog-back buttstock	ebony	10 (standard) with Super-Finish	Bavarian

Rubber recoil pad	Receiver	Barrel	Sights	Gold-colored tilting block and trigger	Kickstop	Leather rifle sling and rifle case include	Weight
○	titanium-colored, without engraving	round, Standard	Standard	○	○	–	from approx. 2.4 kg (5 lb. 5 oz.)
○	black velvet	round, Standard	Standard	○	○	–	from approx. 2.4 kg (5 lb. 5 oz.)
○	black velvet	round, Standard	Standard	○	○	–	from approx. 2.6 kg (5 lb. 12 oz.)
○	titanium-colored, Luxus engraving motif to select from	round, Standard	contrast sights	○	○	–	from approx. 2.4 kg (5 lb. 5 oz.)
○	titanium-colored, Luxus engraving motif to select from	octagonal	contrast sights	○	○	–	from approx. 2.6 kg (5 lb. 12 oz.)
●	black velvet	round, Standard	contrast sights	●	○	–	from approx. 2.4 kg (5 lb. 5 oz.)
●	black velvet	octagonal	contrast sights	●	○	●	from approx. 2.6 kg (5 lb. 12 oz.)
●	black with wooden side plates	octagonal	contrast sights	●	○	●	from approx. 2.4 kg (5 lb. 5 oz.)
●	black with wooden side plates	octagonal	contrast sights	●	○	●	from approx. 2.6 kg (5 lb. 12 oz.)
●	long side plates Baronesse engraving motif to select from	octagonal	contrast sights	●	○	●	from approx. 2.4 kg (5 lb. 5 oz.)
●	long side plates Baronesse engraving motif to select from	octagonal	contrast sights	●	○	●	from approx. 2.6 kg (5 lb. 12 oz.)
●	long side plates enhanced with ruthenium	octagonal flute	Standard	DLC (black high gloss finish)	○	Rifle Sling Leathe	from approx. 2,4 kg (5 lb. 5 oz.)




K95 Calibers and Versions

K95 Model	Versions	Caliber barrel length 60 cm (23.5")	Caliber barrel length 65 cm (25.5")	Caliber barrel length 68 cm (26.7")
 <p>K95</p>	Standard Edition Luxus Black Edition Attaché Baronesse Custom I-IV: Stradivari Super Luxus Exklusiv Super Exklusiv Imperial	.22 Hornet* .222 Rem.* 5,6x50 R Mag.* 5,6x52 R* .243 Win. 6 XC 6,5x55 6,5x57 R 6,5x65 R RWS* .270 Win. 7x57 R 7x65 R .308 Win. .30-06 .30 R Blaser 8x57 IRS 9,3x74	257 Weath. Mag. .270 Weath. Mag.* 7 mm Blaser Mag. 7 mm Rem. Mag. .300 Blaser Mag. .300 Win. Mag. .300 Weath. Mag.* .338 Blaser Mag. 8x68 S	10,3x60 R (only octagonal barrel)

* only available with round barrel contour



K95 Model	Versions	Caliber barrel length 50 cm (19.7")
 <p data-bbox="102 470 229 491">K95 Stutzen</p>	<p data-bbox="938 292 1059 416">Edition Luxus Black Edition Attaché Baronesse</p> <p data-bbox="938 448 1066 572">Custom I-IV: Super Luxus Exklusiv Super Exklusiv Imperial</p>	<p data-bbox="1470 320 1566 544">.243 Win. 6,5x55 .270 Win. .308 Win. .30-06 6,5x57 R 7x57 R 7x65 R 8x57 IRS</p>



K95

Basic grade with plain receiver and grained side plates. Walnut wood grade 1*.

K95 EDITION

Black receiver. Gold-colored K95 lettering. Walnut wood grade 3*.

K95 LUXUS

Arabesque engraving on the receiver. Animal or ornament engravings on the side plates. Walnut wood grade 4*.

K95 BLACK EDITION

Black receiver. Gold-colored K95 lettering. Gold-colored trigger. Walnut wood grade 6*.

K95 ATTACHÉ

Black anodized receiver with wooden side plates. Gold-colored trigger. Walnut wood grade 7*.

K95 BARONESSE

Black forearm tip. Gold-colored trigger. Engraving selection: Animal motifs or ornament engraving as shown. Walnut wood grade 7*.

K95 STRADIVARI

Receiver, trigger guard and locking lever enhanced with ruthenium. Platinum inlays with Stradivari logo on long side plates. DLC coated trigger and block (Diamond Like Carbon). Walnut wood grade 10 with Super-Finish.

* wood grades see pages 38/39



Precious Woods

ARTWORKS OF NATURE

First class walnut wood from trees that are up to 300 years old lends the stock an inimitable appearance. This exceptional wood is found in the highlands of Caucasus where long, cold winters make the trees grow extremely slowly. The harsh climate and the prolonged growth enhance the wood's resistance and shape its fine and beautiful grain.

There are eleven quality grades of woods to select your stock from. If you have special requests, we are pleased to arrange a personal appointment at our stock warehouse with you.

PISTOL GRIP CAPS

On request we engrave a silver pistol grip cap with your initials elegantly framed by English arabesques or leaves (No. 1–3), with animal portraits (No. 4–12) or individual creations.



Wood grade 7



Wood grade 8



Wood grade 9



Wood grade 10



Wood grade 11

Wood grade 12



Gunstock carvings



K95 Custom Grade V

*Creative
Masterpieces*

Blaser

Custom

Customizing your personal masterpiece: Welcome to the Blaser Custom Shop where our master engravers turn your ideas into finest engravings! They work hand in hand with our highly qualified gunsmiths to put the perfect finishing touch to your precious rifle. All K95 Custom models are available with an optional steel receiver.

The level of sophistication raises steadily within the 5 Custom grades. It culminates in the "Custom Grade V" where there are virtually no limits to the creative composition.

Please, feel free to discuss your ideas and wishes with your qualified Blaser dealer.





K95 Custom Grade V

*Classic
Elegance*



ACCESSORIES



1 | TWILL-LEATHER GUN COVERS

Fine twill with calf leather borders and soft, quilted lining. Adjustable shoulder strap, reinforced handles.

2 | CORDURA® GUN COVERS

Rugged fibre reliably protects the gun. Zipped outer pockets for hunting accessories, detachable carrying strap.

B: For Blaser bolt action rifles and combination guns with mounted rifle scope; max. barrel length 60cm (23.6"). Total length: 110cm (43.3"). **C:** For all popular rifle models with mounted rifle scope; max. barrel length 68cm (26.7"). Total length: 128cm (50.4").

3 | ABS RIFLE CASES

Safe, comfortable and discreet: the perfect, lightweight transport case for traveling by car and plane. The double ABS shell reliably protects the rifle against impacts and shocks. Rounded corners with leather edgings. Elaborate velvet on the inside. 3 combination locks.

A: Suitable for single shot rifle and combination gun, max. barrel length 68cm (26.7"), with demounted forearm max. length 42cm (16.5"). Compartments: 1x rifle scope (max. lens diameter 56mm/2.2"). LxWxH: 71x32x10cm (28" x 12.6" x 4").

B: Suitable for bolt action rifles, max. barrel length 70cm (27.5"), max. forearm length 38cm (15"). Compartments: 1x rifle scope (max. lens diameter 56mm), 1x R8 spare magazine; document compartment and Allen key holders in the cover. With combination lock. LxWxH: 82x33x11cm (32.3" x 13" x 4.3").

C: Suitable for bolt action rifles, max. barrel length 70cm (27.5"), max. forearm length 42cm (16.5"). Compartments: 2x barrel, 2x rifle scope (max. lens diameter 56mm), R8 spare magazine. Document compartment and Allen key holders in the cover. With combination lock. LxWxH: 84x45x11cm (33.1" x 17.7" x 4.3")



4 | RIFLE SLING

With wide, soft shoulder pad for utmost carrying comfort. Slip-resistant, elastic and adjustable in length. Integrated cartridge case for two rifle cartridges. Detachable sling swivels with quick-release fastener. Available in robust Neoprene® or in elegant leather. The high-quality leather version comes in two harmonious brown shades and perfectly rounds off the appearance of premium hunting rifles

A: Neoprene® rifle sling, anthrazite.

B: Made of fine cow leather .

C: Neoprene® rifle sling, dark green (also available as tracking version).

5 | LEATHER CASES

Elegant, handy and safe: the case for high demands. Fine, reddish-brown leather with Bordeaux-red interior padding. Interior compartments for accessories. Two locks lockable with keys.

A: Suitable for rifle or combination gun, max. barrel length 67.7 cm (26.6") with demounted forearm, with rifle scope. LxWxH: 72x26x9.5 cm (28.3" x10.2" x3.7").

B: Suitable for rifle or combination gun, max. barrel length 70 cm (27.5") with rifle scope . LxWxH: 82x30x9.5 cm (32.2" x11.8" x3.7").

C: Suitable for rifle or combination gun, max. barrel length 70 cm (27.5") with exchangeable barrel and two rifle scopes. LxWxH: 82x34x9.5 cm (32.2" x13.3" x3.7").

ACCESSORIES



1 | Blaser caps

1 | BLASER CAPS

Popular classics, comfortable and practical. With attractive logo embroidery. All models made of 100% cotton, except model E, made of 50% cotton, 50% polyester.

- A: Green/Brown:** Adjustable leather closure with quick-release fastener.
- B: Sand-colored/Brown:** Adjustable leather closure with quick-release fastener.
- C: "Style" (Anthracite):** Adjustable closure with Velcro fastener.
- D: "Blaser Safaris" (Green/Brown):** Adjustable leather closure with quick-release fastener.
- E: Signal Orange/Brown:** Perfectly suitable for driven hunts. Adjustable closure with quick-release fastener.



2 | Hunting travel trolley

2 | HUNTING TRAVEL TROLLEY

The worldwide tried and tested hunting travel trolley is both practical and attractive at the same time. It is made from premium, extremely resistant Cordura®. Elegant leather applications accomplish its appearance. The thought-out pocket and compartment system offers optimum storage possibilities. This is how your luggage becomes one compact, easy-to-transport unit.

Foldaway telescopic handle, large, ball-bearing wheels, fold-out support pedestal, wide carrying shoulder straps, adjustable in length, carrying handle with rubber reinforcements on the head side, shock-proof buckles. Zippered pockets and document compartment on the inside. Cordura® canvas with five straps which are adjustable

in length, to safely fasten the rifle case on top of the trolley. TSA combination lock. Outer dimensions LxWxH: 86x38x40cm (33.8"x15"x15.7"). Main compartment LxWxH: 82x37x22cm (32.2"x14.5"x8.6"). Two compartments in the cover LxWxH: 41x36x10cm (16.1"x14.1"x4"). Total volume: approx. 95,5 l.



3 | Moose leather hunting rucksack



4 | Canvas hunting rucksack



5 | Hunting backpack „Expedition Light“

BLASER HUNTING RUCKSACKS

Premium, noiseless materials and thought-out details, tailored to hunting practice.

3 | MOOSE LEATHER HUNTING RUCKSACK

A real Blaser classic, completely made from high-quality natural moose leather, one of the most sought-after leathers worldwide. It is soft, smooth, robust and precious. In hard use, it becomes even more beautiful. The padded shoulder straps are also made of moose leather. Volume: approx. 35l. WxH: 60x50cm (23.6" x 19.6").

4 | CANVAS HUNTING RUCKSACK

Made from original hunting Canvas – hard-wearing, noiseless and tear-proof. The coated, water-repellent fabric consists of 100% cotton. Edgings and straps are made of high-quality calf leather. With foldable seat cushion and bag for game transport. Volume: approx. 35l. WxH: 60x55cm (23.6" x 21.6").

5 | NEW HUNTING BACKPACK EXPEDITION LIGHT

For active hunting – worldwide. Ultimate ruggedness, water-repellent hightech materials and optimal carrying characteristics. Air-circulated back for comfortable carrying. Padded carrying system with chest strap, adjustable in height. Side pockets for spotting

scope, drinking bottle etc. Further accessories can be stowed in the water-protected, zipped compartments of the cover flap and in the inside pockets. The reinforced base can be loaded separately and provides increased stability. The rifle can be fastened in the middle of the backpack without being dismantled. Integrated raincover and protective hood in Signal Orange.

Volume: approx. 45l. Weight: approx. 2.3kg (5lb. 1.1oz).
LxWxH: 50x35x24cm (19.7" x 13.8" x 9.5").

ACCESSORIES



1 | Deer carrier



2 | Hunting utility belt



3 | Fast access belt pouch

1 | DEER CARRIER

Rollable to a compact size for easy transport in car or rucksack. Waterproof, robust and extremely tear-proof. Extraordinary capacity (three roe deers or one young boar). Straps adjustable in length: can be either used as comfortable shoulder straps or hand grips.

BxWxD: 60x40x40cm (23.6" x 15.7" x 15.7").

2 | HUNTING UTILITY BELT

The adjustable rope features a carabiner snap link facilitating game recovery in difficult terrain. The adjustable rope can be used in combination with the extremely sturdy stainless steel hanging hook to ease field dressing and cooling. Two bird hooks are included.

3 | FAST ACCESS BELT POUCH

With this smart and exquisitely manufactured pouch, ammunition is always quickly at hand. The exterior pouch can be attached to the belt. The removable, elastic ammunition holder accommodates six cartridges. Both components are made of Cordura® and Neoprene®. Edgings made of fine leather. The ammunition holder comes with a Velcro strap adjustable in length so that it can be flexibly attached to the shooter's arm or the weapon. Unlike leather ammunition holders, the Cordura®/Neoprene® holder ensures that ammunition does not oxidize. Suitable for all cartridge calibers from 5,6x52 R bis 500 N.E.



4 | Blaser shooting glasses

4 | BLASER SHOOTING GLASSES

Extremely low weight, robust design and sporty elegance. The adjustable nose pads ensure excellent comfort. You will hardly notice that you are wearing glasses. Three interchangeable lenses (dark grey, yellow-orange and red) with anti-fog coating offer optimal visibility in varying light and weather conditions. The Blaser shooting glasses fulfill the highest optic and safety standards of the US military. A cleaning cloth, an elastic strap and a form-stable Cordura case are included in the scope of delivery.



5 | Hunting knife „Professional“

5 | HUNTING KNIFE PROFESSIONAL

The tried and tested, anti-slip stock material of the Blaser Professional bolt action rifles is used for the grip. With fold-out Allen Key (SW5) to strip down the Blaser R8. Fluorescent inlays, drop point blade made from stainless steel (440C rustproof). Including interchangeable saw blade and belt pouch made of robust Cordura®.

ACCESSORIES



1 | Blaser DVDs

1 | BLASER DVDS

“uphill, downhill... Hunting in the mountains”. In extensive shooting tests, Blaser analyzed and documented the best techniques to shoot uphill and downhill. An exciting and instructive guide on shooting techniques in the mountains. With spectacular hunting and nature scenes. Running time: approx. 45 min.

“Accurate shooting. Correct hunting”. How to shoot successfully when out hunting. Clearly demonstrated tips that are easy to follow. Test firing the rifle correctly, perfect aiming when stalking and on the pulpit, expert long-range shooting and more. Running time: approx. 45 min.

“Shooting at moving game. Successful hunt with safety first”. New insights on the bullet trajectory, for the first time documented on film. Shooting on game in motion, obstacles in the trajectory, shooting with slugs, fragmentations when shooting, dangers of ricochets and much more. Running time: approx. 55 min.



2 - 4 | Care products

2 | GUN OIL

Maximum corrosion protection even in wet and cold conditions as well as in heat and humidity, with salt-water or sweaty hands. Neutral oil, remains liquid until a temperature of -50°C. The oil does not resinify, is very liquid and disperses excellently. 200ml spray can.

3 | GUN STOCK CARE

Optimum protection, natural ingredients. Easy to apply and rub in. Odor-free after drying. 150ml can.

4 | GUN GREASE (ISOFLEX® TOPAS L32)

Suitable for both: extremely low and extremely high temperature ranges (approx. -60 °C/-76 °F to +130 °C/266 °F). Recommended for the use with bolt guide rails. 4g tube.



5 | R8 open sights



6 | Dual-Brake muzzle brake – type A + B for different calibers

7 | Mag-na-port muzzle brake



8 | Kickstop, recoil reducer in the stock

9 | Rubber recoil pad

5 | NEW R8 OPEN SIGHTS

For lightning-fast shooting over short ranges. Via the triangular white rear sight and the interchangeable luminous front sight, moving targets can be aimed at spontaneously and precisely. Target coverage is minimal.

6 | NEW DUAL-BRAKE MUZZLE BRAKE

The new threaded muzzle brake Dual-Brake considerably minimizes both recoil and muzzle flash. The individually felt recoil is reduced by approx. 35 to 50%. The muzzle thread for Dual-Brake can also be retrofitted

7 | MAG-NA-PORT MUZZLE BRAKE

Four "ports" or slots in the immediate vicinity of the barrel muzzle reduce recoil by approximately 20%.

Caution: Muzzle brakes increase the blast considerably. Wearing ear protection and protective glasses is absolutely necessary! Dual-Brake and Mag-na-port are only possible with single-barrel guns.

8 | KICKSTOP RECOIL REDUCER

For rifles and combination guns. The stainless steel cylinder, filled with tungsten beads, is inserted into the stock and reduces recoil by about 20%. The higher weight of the stock improves the balance of rifles with heavy barrels. Depending on the gun type, the following versions are available:

A: Length: 156 mm (6"). Weight: approx. 430 g (15 oz.)

B: Length: 126 mm (5"). Weight: approx. 370 g (13 oz.)

9 | RUBBER RECOIL PAD

Minimizes the felt recoil on the shoulder and ensures that the rifle can be put down noiselessly and does not slip away.



1

2

3

1

Insert the Saddle Mount in the notches on the barrel while the locking levers are open.

2

Push down the locking levers with your thumb. Now the mount is locked on the barrel without causing tension. Fold down the locking levers, so that they do not disturb when using the rifle.

3

This is how the rifle scope is mounted correctly. After zeroing in, the rifle scope can be detached and reattached as often as required.

K95 SADDLE MOUNT

EASY, FLEXIBLE AND 100% ACCURATE

The Blaser Saddle Mount revolutionized the connection of rifle and rifle scope. Once zeroed, the scope can be removed and returned with minimum effort and remains zeroed. Without any problem different rifle scopes can be mounted on one barrel.

Four inconspicuous notches on the barrel, situated at the level of the chamber, hold the one-piece base tension-free. This allows the barrel to float completely free. No further adjustments on the rifle are necessary and there is no annoying mount swivel.

Every Blaser hunting rifle is prepared for the Saddle Mount.





THE MOMENT WHEN YOU ARE CLOSER TO NATURE THAN EVER BEFORE. **THIS IS THE MOMENT WE WORK FOR.**

ZEISS has been developing premium optics for over 165 years. The consistent philosophy of our company, the unique combination of forward-looking innovation and the long years of tradition and experience along with the highest standards in production and quality assurance are evident in all our products. Each and every product is proof of our deeply rooted awareness of the demands made by a hunter of his equipment. They help to provide intense hunting experiences in any situation, at any given moment.

/// VICTORY® – the innovative leading-edge optics.

Unrivalled bright and brilliant images, the widest fields of view, the finest illuminated dot in the world and the most compact and ergonomic design. The riflescopes, binoculars and spotting scopes of the VICTORY range from ZEISS are the undisputed leaders in the field of optics „Made in Germany“. They guarantee outstanding performance to bring you unforgettable hunting moments.

// CONQUEST® – the modern observation and target optics.

Razor-sharp details and natural colour reproduction, lightweight but robust housing, highest precision and reliability. The riflescopes and binoculars from the CONQUEST ranges with their modern design and cutting edge technology make the perfect companions for challenging hunting experiences. They guarantee absolute reliability for maximum hunting success.

/// VICTORY V8. THE ULTIMATE SUPER-ZOOM RIFLESCOPE BY ZEISS. **NEW**




The VICTORY V8 models are available in the following formats: 1.8–14 x 50 and 2.8–20 x 56

The new ZEISS VICTORY V8 rifle scope is the one all others in the world are measured against. It sets a new standard in the premium class with numerous hugely impressive innovations. From the driven hunt, stalking and stand hunting through to long-range shooting – the VICTORY V8 is always the best choice and provides impressive proof of its superiority: No other rifle scope has ever demonstrated such flexibility and versatility. The main reason for this is the maximum zoom and reticle adjustment ranges. The VICTORY V8 gets its outstanding image quality and target resolution from the light transmission of 92% (unrivalled in this class), FL lenses, SCHOTT HT glass and the extremely wide angle field of view. The ergonomics of the design also set new standards. The world's finest illuminated dot can be operated easily and precisely, while the short and compact design provides for perfect handling. The crowning feature of the new VICTORY V8 is the new ASV LongRange bullet drop compensation, which ensures maximum range thanks to the large adjustment potential. No matter what hunting situation you find yourself in: The VICTORY V8 always guarantees you absolute precision and perfection. The only true all-rounder. The ZEISS VICTORY V8 models are not available in all countries. For more information please contact your authorized ZEISS dealer.



ASV LongRange bullet drop compensation: Accurate aiming at long distances. **NEW**

There is one more reason why the VICTORY V8 is absolutely unrivalled: The ASV LongRange bullet drop compensation. The fact that the shooting distance is clearly displayed makes the ASV the most intuitive and therefore the most precise long-range shooting concept on the market. Thanks to the larger adjusting range with 100 clicks, it also allows you to maintain your aim even at long distances and is therefore of particular interest to long-range marksmen.



Illuminated reticle 60



We make it visible.



SWAROVSKI
OPTIK

Z6(i) WHEN *SECONDS* ARE CRUCIAL

The elegant appearance conceals the state-of-the-art technology that gives you maximum support at the crucial moment. The Z6(i) makes no compromises when it comes to outstanding optical performance. The large zoom range, the reticle that is optionally illuminated or non-illuminated, and the large eye relief ensure greater flexibility, higher precision, and greater safety when hunting. Its smart SWAROLIGHT function saves you thinking about whether to switch the illuminated reticle on or off while hunting. It saves time and energy, and ensures that you can focus on the main business at hand.



NEW SUBTENSION DIMENSION PROGRAM

The free subtension dimension program allows you to quickly obtain all the precise subtension dimensions for your reticle for all SWAROVSKI OPTIK rifle scopes. These dimensions can be calculated not only for all optional magnifications but also for different distances. All the calculated subtension dimensions are given in imperial or metric units, as well as in MOA and MIL units, and can be printed out afterward.



BALLISTIC PROGRAM

The SWAROVSKI OPTIK ballistic program is a helpful tool for calculating your own personal shot flight path. This free software clearly generates and calculates the precise data for a long-range reticle or for the ballistic turret. The ballistic program is also available for smartphones and tablet PCs.



SWAROLIGHT – SMART ILLUMINATION

An automatic switch-on and switch-off feature recognises via an inclination sensor whether the rifle scope is in shooting position. When the weapon is not in the firing position, the illuminated reticle automatically switches off. When moving into a shooting position, the illuminated reticle is immediately ready for use thanks to SWAROLIGHT. You can now simply focus on your target. SWAROLIGHT works on any weapon. You can also shoot without the reticle being illuminated.

FOR BETTER IMPACT AT A DISTANCE

Firearms, ammunition and optical instruments have become much more accurate in recent years, making long-distance shooting technically feasible. Nevertheless, the requirements on the hunter are high and, in addition to accurate determination of the distance, this calls for solutions that provide an accurate aiming point to enable accurate longrange target shots. The SWAROVSKI OPTIK Ballistic Turret (BT) allows you to “stay on the spot” shooting at different ranges. **BT.SWAROVSKIOPTIK.COM**



EACH ONE IS UNIQUE. INCLUDING YOUR Z6i

Whatever your intended use, you are sure to find the perfect rifle scope for your requirements. Thanks to the 6x zoom, all models offer a high degree of flexibility that extends beyond their specific intended use.

- Z6i 1-6x24 Driven hunting and dangerous game specialist
- Z6i 1-6x24 EE Large eye relief perfect on safari
- Z6i 1.7-10x42 (BT) Ideal for all types of hunting
- Z6i 2-12x50 (BT) The perfect all-rounder
- Z6i 2.5-15x56 P (BT) The bright all-rounder
- Z6i 2.5-15x44 P (BT) The choice when hunting overseas
- Z6i 3-18x50 P (BT) The long-range expert
- Z6i 5-30x50 P (BT) Precision over vast distances

		Z6 / Z6i 1-6x24	Z6i 1-6x24 EE	Z6 / Z6i 1.7-10x42	Z6 / Z6i 2-12x50	Z6 / Z6i 2.5-15x44 P	Z6 / Z6i 2.5-15x56 P	Z6 / Z6i 3-18x50 P	Z6 / Z6i 5-30x50 P
Magnification		1-6x	1-6x	1.7-10x	2-12x	2.5-15x	2.5-15x	3-18x	5-30x
Field of view (m/100 m/ft/100 yds)		42.5-6.8 127.5-20.4	33.5-5.4 100.5-16.2	25.2-4.2 75.6-12.6	21-3.5 63-10.5	16-2.7 48-8.1	16.5-2.7 49.5-8.1	13.3-2.2 39.9-6.6	7.9-1.3 23.7-3.9
Eye relief (mm)		95	120	95	95	95	95	95	95
Light transmission (%)		90	91	90	90	90	91	90	90
Weight (g/oz)	L non-illuminated/ illuminated	420/440 14.8/15.5	-/430 -/15.2	470/490 16.6/17.3	520/540 18.3/19	555/575 19.6/20.3	635/655 22.4/23.1	595/615 21/21.7	600/620 21.2/21.9
	SR non-illuminated/ illuminated	-/460 -/16.2	-	-/500 -/17.6	-/550 -/19.4	-/590 -/20.8	-/665 -/23.5	-/635 -/22.4	-
Reticles	non-illuminated	4 ²	-	4A ²	4A ² 4A-300 ²	-	4A ² 4A-300 ²	4A-300 ²	Plex ² , BRH ²
	illuminated	4-I, CD-I, LD-I, BRT-I	4-I ² , CD-I ²	4A-I, CD-I, LD-I, 4A-300-I	4A-I, LD-I, 4A-300-I, BRX-I ²	4A-I ² , BRX-I ²	4A-I, 4A-300-I, BRX-I	4A-I ² , 4A-300-I ² , BRX-I ²	4A-I ² , 4A-300-I ² , BRX-I ²
Reticles with ballistic turret		-	-	4A-I	4A-I, 4W-I	4A ² , 4A-I	4A ² , 4A-I, 4W-I	4A-I, 4W-I	4A-I ² , 4W-I ²

Functional temperature: -20°C/+55°C (-4°F to +131°F) · Storage temperature: -30°C/+70°C (-22°F to +158°F) · Water resistance: 4 m (13 ft) water depth (filled with nitrogen)

L = light alloy for ring mounting · SR = light alloy with SWAROVSKI OPTIK Rail · P = Parallax Turret · BT = Ballistic Turret
¹ for models with BT at an elevation of 10 mm/100 m (0.36 in/100 yds) · ² only available in the L version

Z4i THE CLASSIC WITH 4x ZOOM

The illuminated Z4i with a classic 4x zoom is a good choice for hide hunting. The 1.25-4x24 displays its strengths in driven hunting. Its outstanding features, in addition to its optical quality, are its classic design and simple operation. This is precisely why the Z4i is regarded as the perfect choice for discerning novices and hunters seeking a powerful rifle scope for everyday hunting.



	Z4i 1.25-4x24	Z4i 3-12x50	Z4i 2.5-10x56
Magnification	1.25-4x	3-12x	2.5-10x
Field of view (m/100 m/ft/100 yds)	32.8-10.4 98.4-31.2	11-3.5 33-10.5	13.2-4.1 39.6-12.3
Eye relief (mm)	90	90	90
Light transmission (%)	92	93	92
Reticles illuminated	4-I	4A-I, 4A-300-I ¹	4A-I, 4A-300-I ¹

Functional temperature: -20°C/+55°C (-4°F to +131°F) · Storage temperature: -30°C/+70°C (-22°F to +158°F) · Water resistance: 4 m (13 ft) water depth (filled with nitrogen)


L = light alloy for ring mounting · SR = light alloy with SWAROVSKI OPTIK Rail · ¹ only available in the L version

ENHANCING PROVEN QUALITY

More than thirty years ago, Barnes (today one of the world's most renowned bullet manufacturers) put a "lead-free", copper hunting bullet on the market. The goal was to provide a bullet with constantly good expansion qualities and – at the same time – improved ballistics.


Based on this experience, Blaser has developed an entirely new copper bullet. The Blaser CDC (Controlled Deformation Copper) bullet combines all desired qualities in an optimal way, such as excellent accuracy and superior knock-down effect. CDC is specifically adjusted for light to medium game, meeting the needs of hunters in Central Europe perfectly. CDC is designed and field-tested by Blaser. In order to ensure the highest quality possible, CDC bullets are manufactured by Barnes and loaded by Norma.






The weight of the Blaser CDC bullet has been only slightly reduced, compared to other "lead-free" products. This has been done deliberately, ensuring CDC's excellent controlled bullet performance over a wide range both of distance and velocity. Because of their higher weight, CDC bullets achieve a maximum length securing an outstanding penetration and terminal stability.

The CDC's bullet tip reacts immediately on impact due to its special design consisting of an innovative expansion cavern, pressure grooves and a polymer tip. On penetration, CDC forms four separate petals, avoiding fragmentation detrimental to the game.



◀ Thanks to its abundant mass the CDC projectile provides constantly good deformation characteristics over a large range of distances.





7x64	9,4 g · 145 gr · BC = 0,413						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	880	842	806	770	735	701	668
Energy (J)	3641	3336	3052	2787	2541	2312	2100
⊕ 100 m	-4,4	-0,5	0,0	-3,3	-10,8	-22,7	-39,7
MRD* ⊕ 180 (m)	-4,4	1,5	4,0	2,7	-2,7	-12,7	-27,6

7x65 R	9,4 g · 145 gr · BC = 0,413						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	860	823	787	751	717	684	651
Energy (J)	3478	3184	2910	2655	2418	2198	1994
⊕ 100 m	-4,4	-0,4	0,0	-3,6	-11,5	-24,2	-42,1
MRD* ⊕ 175 (m)	-4,4	1,6	4,0	2,4	-3,5	-14,2	-30,2

7 mm Blaser Magnum	9,4 g · 145 gr · BC = 0,413						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	945	905	867	830	793	758	723
Energy (J)	4199	3855	3534	3237	2959	2701	2461
⊕ 100 m	-4,4	-0,7	0,0	-2,6	-8,7	-18,7	-33,0
MRD* ⊕ 194 (m)	-4,4	1,3	4,0	3,4	-0,7	-8,7	-21,0

.308 Win.	10,4 g · 160 gr · BC = 0,427						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	820	785	751	718	685	654	623
Energy (J)	3498	3206	2934	2681	2445	2225	2021
⊕ 100 m	-4,4	-2,0	0,0	-4,1	-13,0	-27,2	-47,0
MRD* ⊕ 167 (m)	-4,4	1,8	4,0	1,8	-5,1	-17,2	-35,1

.30-06	10,4 g · 160 gr · BC = 0,427						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	855	819	784	750	717	685	653
Energy (J)	3803	3491	3200	2928	2675	2439	2220
⊕ 100 m	-4,4	-0,4	0,0	-3,6	-11,6	-24,3	-42,3
MRD* ⊕ 175 (m)	-4,4	1,6	4,0	2,4	-3,6	-14,3	-30,3

.300 Win. Mag.	10,4 g · 160 gr · BC = 0,427						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	950	910	872	834	798	762	728
Energy (J)	4695	4311	3953	3620	3311	3023	2755
⊕ 100 m	-4,4	-0,7	0,0	-2,5	-8,5	-18,4	-32,5
MRD* ⊕ 196 (m)	-4,4	1,3	4,0	3,5	-0,5	-8,2	-20,2

* Most Recommended Distance

.300 Blaser Magnum	10,4 g · 160 gr · BC=0,427						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	960	921	884	847	811	777	743
Energy (J)	4794	4415	4062	3733	3425	3139	2871
⊕ 100 m	-4,4	-0,8	0,0	-2,4	-8,2	-17,7	-31,3
MRD* ⊕ 198 (m)	-4,4	1,2	4,0	3,6	-0,2	-7,8	-19,4

8x57 IS	11,0 g · 170 gr · BC=0,398						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	850	812	775	738	703	669	635
Energy (J)	3975	3626	3301	3000	2720	2461	2222
⊕ 100 m	-4,4	-0,3	0,0	-3,7	-12,0	-25,2	-43,9
MRD* ⊕ 173 (m)	-4,4	1,7	4,0	2,3	-4,0	-15,2	-31,8

8x57 IRS	11,0 g · 170 gr · BC=0,398						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	790	753	718	683	649	617	585
Energy (J)	3434	3123	2835	2567	2320	2091	1881
⊕ 100 m	-4,4	0,0	0,0	-4,7	-14,7	-30,5	-52,7
MRD* ⊕ 161 (m)	-4,4	2,0	4,0	1,3	-6,7	-20,5	-40,8

8x68 S	11,0 g · 170 gr · BC=0,398						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	925	885	845	807	770	734	699
Energy (J)	4717	4313	3939	3592	3269	2970	2693
⊕ 100 m	-4,4	-0,6	0,0	-2,8	-9,4	-20,1	-35,3
MRD* ⊕ 189 (m)	-4,4	1,4	4,0	3,2	-1,3	-10,0	-23,3

9,3x62	16,2g · 250 gr · BC=0,444						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	770	738	706	675	645	616	587
Energy (J)	4805	4409	4039	3694	3372	3072	2794
⊕ 100 m	-4,4	0,1	0,0	-5,0	-15,3	-31,6	-54,3
MRD* ⊕ 158 (m)	-4,4	2,0	4,0	1,0	-7,4	-21,7	-42,4

9,3x74 R	16,2g · 250 gr · BC=0,444						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	740	708	677	647	618	589	562
Energy (J)	4438	4066	3719	3395	3094	2814	2556
⊕ 100 m	-4,4	0,2	0,0	-5,6	-17,0	-34,9	-59,9
MRD* ⊕ 153 (m)	-4,4	2,2	4,0	0,4	-9,0	-24,9	-47,9



Blaser Magnum



▲ The new range of Blaser Magnum cartridges from left to right: 7 mm Magnum with Hornady Interlock bullet, .300 Magnum with TTSX or CDP bullet, .338 Magnum with Nosler AccuBond or Barnes bullet as well as the .375 Magnum with Barnes bullet.

THE NEW MAGNUM GENERATION

In cooperation with Norma, Blaser has developed a brand new generation of high-performance cartridges. No existing calibers were copied. Instead, the latest ammunition technology was applied to achieve the optimum performance in each caliber group.

HIGH ACCURACY WITH GOOD SHOOTING CHARACTERISTICS

Its high precision values in conjunction with notably increased energy and velocity data make the Blaser Magnum calibers your best choice for long range shooting – whether you are hunting in the mountains, in the savanna or on a plateau.

Thanks to an optimized cartridge geometry, stable cartridge base and modern powder types together with 4-groove barrel profiles and adapted twist rates, the Blaser Magnum offers more comfortable recoil effects compared to other Magnum cartridges.

4 CALIBERS, 6 LOADS

The Blaser Magnum calibers are available with Hornady Interlock, Nosler AccuBond, Barnes TSX/TTSX and Blaser CDP bullets. At the same time, Norma offers additional loads under its own company label.



Blaser Magnum

AMMUNITION

7 mm Blaser Magnum: 9 g/139 gr Hornady Interlock · BC 0.392

Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	960	918	877	837	799	762	725
Energy (J)	4149	3793	3463	3157	2874	2611	2367
⊕ 100 m		-0.5	0	-2.7	-8.8	-18.8	-33.0
MRD* ⊕ 193 (m)		1.5	4.0	3.4	-0.8	-8.8	-21.0

▲ The 7 mm Blaser Magnum with a 9.0 grams bullet is particularly comfortable to shoot, fast bullet for Europe and lightweight steppe or mountain game.

.300 Blaser Magnum: 11.7 g/180 gr Barnes TTSX · BC 0.484

Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	920	885	851	818	786	755	724
Energy (J)	4941	4574	4231	3909	3607	3324	3059
⊕ 100 m		-0.4	0	-2.9	-9.6	-20.1	-35.0
MRD* ⊕ 187 (cm)		1.6	4.0	3.1	-1.6	-10.1	-23.1

.300 Blaser Magnum: 10.7 g/165 gr Blaser CDP · BC 0.385

Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	950	906	864	824	784	746	708
Energy (J)	4826	4394	3995	3628	3288	2974	2683
⊕ 100 m		-0.8	0	-2.5	-8.6	-18.6	-33.1
MRD* ⊕ 195 (cm)		1.2	4	3.5	-0.6	-8.7	-21.2

▲ The .300 Blaser Magnum generates its energy with 10.7 to 11.7 grams bullets out of a 64.2 mm cartridge case and is the all-round cartridge for lightweight to medium-heavy game.

.338 Blaser Magnum: 13.6 g/210 gr Barnes TTSX · BC 0.482

Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	900	866	834	802	771	740	710
Energy (J)	5514	5111	4732	4377	4043	3730	3436
⊕ 100 m		-0.7	0	-2.9	-9.5	-20.3	-35.6
MRD* ⊕ 188 (cm)		1.4	4.0	3.2	-1.5	-10.3	-23.5

.338 Blaser Magnum: 13.0 g/200 gr Nosler-Accu-Bond · BC 0.414

Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	930	890	851	814	777	742	707
Energy (J)	5607	5136	4699	4294	3917	3567	3241
⊕ 100 m		-0.8	0	-2.6	-9.0	-19.4	-34.2
MRD* ⊕ 192 (cm)		1.3	4.0	3.4	-1.0	-9.3	-22.2

▲ The .338 Blaser Magnum with 13.0 to 13.6 grams bullets is suitable for big game – ideal for bear, moose, wapiti and big antelopes. Good ballistic coefficient and speed even with long range shots.

.375 Blaser Magnum: 17.5 g/270 gr Barnes TSX · BC 0.326

Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	840	793	747	703	661	620	580
Energy (J)	6177	5503	4889	4330	3822	3361	2946
⊕ 100 m		-0.4	0	-4.1	-13.1	-27.7	-48.7
MRD* ⊕ 168 (cm)		1.6	4.0	1.9	-5.1	-17.7	-36.8

▲ Because of the larger volume of the 71.7 cartridge case, the .375 Blaser Magnum generates approximately 5 percent more energy on a range of 150 m than the .375 H&H and features more comfortable shooting characteristics.

* Most Recommended Distance



CDP – CONTROLLED DEFORMATION PROCESS.

As a result of the controlled deformation process the CDP projectile ensures a high shock effect and large penetration force while its weight remains virtually the same. Despite its relatively low weight the CDP bullet causes the desired exit wound, preserving the game to the highest extent possible. Upon impact, the CDP bullet mushrooms symmetrically in four directions. Regardless of varying velocity and target resistance the deformation process always remains controlled. When mushrooming, the diameter of the bullet multiplies by 2.5 of its original caliber. This effect has been achieved by accurate calculation of the bullet components and their behavior during the shot.





The tip of the projectile consists of soft, dynamically reacting alloy.

Four internal longitudinal grooves, offset by 90°, control the symmetrical deformation process.

The increasing thickness of the sleeve towards the rear supports the controlled expansion.

The V-shaped, closed bridge is robust yet flexible. The forces that affect the projectile in the barrel are absorbed to a large extent. The bridge reliably protects the projectile against decomposition. It provides the optimal interior ballistic ally.

The hard rear core promotes the penetration performance and ensures that the projectile retains a maximum weight of virtually 100%.

Extensive testing with a few hundred shootings showed the following results:

- in 78 % of shootings, fleeing distances measured from zero to less than 20 meters
- in 94 % of shootings very low meat damage was reported.



.243 Win.	6,5 g · 100 gr · MRD* ± 188 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	930	-	-	-	-	-	-
Energy (J)	-	2507	2228	1975	1746	1538	1350
± 100 m	-	+1,1	+3,9	+3,1	-1,5	-10,9	-25,5

6,5x57	8,2 g · 127 gr · MRD* ± 181 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	870	-	-	-	-	-	-
Energy (J)	-	2834	2584	2352	2135	1936	1751
± 100 m	-	+1,3	3,9	+2,8	-2,6	-12,8	-28,8

6,5x57 R	8,2 g · 127 gr · MRD* ± 176 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	845	-	-	-	-	-	-
Energy (J)	-	2671	2432	2211	2005	1815	1639
± 100 m	-	+1,4	+4,0	+2,5	-3,5	-14,7	-31,3

.270 Win.	8,4 g · 130 gr · MRD* ± 191 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	950	-	-	-	-	-	-
Energy (J)	-	3326	2909	2523	2200	1902	1634
± 100 m	-	+1,0	+3,8	+3,2	-1,8	-11,2	-26,3

7x57 R	10,0 g · 154 gr · MRD* ± 163 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	790	-	-	-	-	-	-
Energy (J)	-	2817	2536	2278	2041	1824	1624
± 100 m	-	+1,7	+4,1	+1,5	-6,4	-20,1	-40,4

7x64	10,0 g · 154 gr · MRD* ⊕ 176 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	860	-	-	-	-	-	-
Energy (J)	-	3389	3102	2835	2586	2355	2140
⊕ 100 m	-	+1,3	+4,0	+2,7	-2,8	-13,2	-28,8

7x65 R	10,0 g · 154 gr · MRD* ⊕ 176 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	860	-	-	-	-	-	-
Energy (J)	-	3311	3030	2768	2523	2297	2086
⊕ 100 m	-	+1,3	+4,0	+2,7	-3,1	-13,9	-30,0

.308 Win.	10,7 g · 165 gr · MRD* ⊕ 167 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	820	-	-	-	-	-	-
Energy (J)	-	3242	2882	2569	2283	2022	1785
⊕ 100 m	-	+1,5	+4,4	+1,9	-5,4	-18,3	-37,4

.30-06	10,7 g · 165 gr · MRD* ⊕ 174 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	850	-	-	-	-	-	-
Energy (J)	-	3470	3107	2775	2471	2194	1941
⊕ 100 m	-	+1,4	+4,0	+2,4	-4,0	-15,7	-33,0

.30 R Blaser	10,7 g · 165 gr · MRD* ⊕ 196 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	940	-	-	-	-	-	-
Energy (J)	-	4352	3916	3516	3149	2813	2506
⊕ 100 m	-	+0,9	+3,8	+3,3	-0,9	-9,2	-22,3

.300 Win. Mag.	10,7 g · 165 gr · MRD* ⊕ 200 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	970	-	-	-	-	-	-
Energy (J)	-	4540	4088	3674	3294	2946	2627
⊕ 100 m	-	+0,8	+3,8	+3,4	-0,4	-8,2	-20,5

8x57 IS	12,7 g · 196 gr · MRD* ⊕ 163 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	790	-	-	-	-	-	-
Energy (J)	-	3595	3255	2940	2650	2381	2134
⊕ 100 m	-	+1,7	+4,0	+1,5	-6,3	-19,8	-39,6

8x57 IRS	12,7 g · 196 gr · MRD* ⊕ 159 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	770	-	-	-	-	-	-
Energy (J)	-	3412	3085	2783	2505	2248	2013
⊕ 100 m	-	+1,8	+4,0	+1,1	-7,3	-21,6	-43,1

8x75 RS	12,7 g · 196 gr · MRD* ⊕ 170 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	830	-	-	-	-	-	-
Energy (J)	-	3936	3533	3163	2825	2525	2254
⊕ 100 m	-	+1,5	+4,0	+2,1	-4,8	-17,1	-35,2

8x68 S	12,7 g · 196 gr · MRD* ⊕ 193 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	950	-	-	-	-	-	-
Energy (J)	-	5172	4659	4189	3757	3361	2999
⊕ 100 m	-	+0,9	+3,8	+3,4	-0,8	-9,0	-22,0

9,3x62	18,5 g · 285 gr · MRD* ⊕ 151 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	720	-	-	-	-	-	-
Energy (J)	-	4357	3950	3573	3224	2903	2613
⊕ 100 m	-	+1,3	3,9	+2,8	-2,6	-12,8	-28,8

9,3x74 R	18,5 g · 285 gr · MRD* ⊕ 148 (m)						
Distance (m)	0	50	100	150	200	250	300
Speed (m/s)	700	-	-	-	-	-	-
Energy (J)	-	4123	3742	3390	3061	2763	2491
⊕ 100 m	-	+2,2	+3,9	-0,3	-11,0	-29,6	-56,8

Old Swede - Vulkan

Norma's Number 1 in Germany




Norma Vulkan



norma
www.norma.cc




Silver Selection



UNI **V-Tail** precision tail for excellent aerodynamic stability and accuracy at long distances

www.rws-ammunition.com



NEW

UNI PROFESSIONAL
From 0 to 100 in 0.0013 seconds



MADE FOR ACTIVE HUNTING

Superior quality and sophisticated design also characterize Blaser active outfits. Each garment represents the highest level of modern textile technology. Special care has been taken to create practical details such as pockets, trimmings and decorative elements that underline the stylish hunting look. Midlayer-jackets, shirts made from first class fleece to wear as base or top layers as well as matching accessories, ranging from sturdy belts to fully lined knitted hats and warm thermo caps, complement the broad range. Now fully revised and optimized, the Blaser active outfits collection sets new standards for high class hunting clothes with an extremely versatile edge. Functional, lightweight and comfortable: these styles have already become casual classics. Blaser active outfits represent a unique combination of consistent quality and hunting tradition with high performance functionality and modern looks. The collection is available exclusively at your authorized Blaser dealer.



GET ONE!

ORDER A CATALOG
WWW.ACTIVEOUTFITS.DE



WORLDWIDE HUNTING

Innovation, safety and reliability have constituted Blaser since day one. Its passion for hunting and its love of nature, the international network of experienced hunters and its strive for absolute perfection represent values that are also key to Blaser Safaris. To us, hunting actively means hunting expertly alongside professionals. Blaser Safaris provides you with qualified, personal support on-site. Our guides have the essential instinct and "edge" for hunting. Through reliable assistance and useful recommendations they are known for taking their guests straight to success. Order your copy of the current Blaser Safaris catalog now and find a huge range of exclusive hunting trips to meet any requirements. Get inspired by various hunting impressions and come along to hunt with us in Europe, Africa and overseas.



We would like to thank all hunters for joining the photo shootings.

All information subject to change without notice.

Models can vary from country to country.

Blaser hunting rifles are distributed through qualified dealers exclusively.

Blaser Jagdwaffen GmbH
88316 Isny/Allgäu
Germany
www.blaser.de

We keep you in the loop!
Get the latest news per email and sign up today for our Blaser newsletter on www.blaser.de

More Blaser product catalogues on request and online at www.blaser.de



Blaser

www.blaser.de

Foto: Kerschbaum © 2014 - www.kerschbaum.de